FORM PT	D-144		MENT OF COMMI		ATTY, DOCKE	T NO.		SERIAL				
	•			3298-4014US1 08/630,915								
IN	FORI	MATION DISCLO	SURE CITATIO	N	APPLICANT							
	(Use several sheets i	f necessary)		Andrew B. SPAI	RKS, et al.						
			3,		FILING DATE			GROUP	ART UNIT	T UNIT		
					April 3, 1996			1652				
			TO WALLS.PA	TENT D	OCUMENTS!							
EXAMINER									FILIN	G DATE		
INITIAL		DOCUMENT NUMBER	DATE		NAME	CLASS	sı	BCLASS		ROPRIATE		
	ł					1						
	1					†	1			· · · · · · · · · · · · · · · · · · ·		
	_					ļ	<u> </u>			<u> </u>		
			RORBICK	PATERI	PDOCUMENT	S = :; : : :						
		DOGRAFIE VEDE							TRANS	LATION		
		DOCUMENT NUMBER	DATE		COUNTRY	CLASS	SU	BCLASS	YES	NO		
	A	97/37223	9 October 1997		РСТ							
	В	96/36881	21 November 19	996	PCT							
	С	95/10296	20 April 1995		РСТ			·				
	D	92/18528	29 October 1992		РСТ							
<u>-</u> -	E	91/19818	26 December 19	91	PCT							
		j			_							
		OTHERDOCU	DMENTS (Include	ing Autho	r, Title, Date, P.	erlinent Po	ipers,	Ele).				
	F	Noah G. Hoff	man, <i>et al</i> ., 1996,	Moleculo	ar Diversity, 2:5	-12						
	G	E. Y. Skolnik	, et al., 1991, Cell	, 65:83-9	0							
										_		
										1		
EXAMINE	XAMINER			DAT	PATE CONSIDERED							
EXAMINER through citate applicant.	: Ini	tial if reference cons	sidered, whether of and not considered	r not citated. Include	tion is in confor de copy of this f	mance with form with n	MPI next c	EP 609; I	Draw line cation to			

LIST OF REFERENCES CITED BY APPLICANT					1101-174	08/630	08/630,915				
		(Use several sheets		APPLICANT Sparks et al.							
					FLING DATE						
					April 2 100C						
				24555			1818				
	T		U.S.	PATENT DOCUME	NT6 ————————					l	
*EXAMINER INITIAL		DOCUMENT NUMBER	DATE		NAME	CLASS	SUBCLASS	1	NG DATE F FOFRSATE		
	AA	5,096,815	03/17/1992	Ladner et al.						1	
	АВ	5,198,346	03/30/1993	Ladner et al.				1		1	
	AC	5,223,409	06/29/1993	Ladner et al.		·	1	1		1	
	AD	5,541,109	07/30/1996	Searfoss, III et		1	1		١.		
	,		FOREIG	N PATENT DOCUM	MENTS		_				
		DOCUMENT NUMBER	DATE	COUNTRY		aass	SUBCLASS	TRAN	RATION		
	AE	WO 90/02809	03/22/1990	РСТ				YES	NO.		
	AF	WO 93/18054	09/16/1993	РСТ				•			
	AG.	WO 95/24419	09/14/1995	РСТ							
		OTHER	REFERENCES (Incl	uding Author, Title,	Date, Pertinent Pages, Etc.	.,	<u></u>			<u></u>	
	АН	Barkas et al., 1987, "Mapping the main immunogenic region and toxic hinding."									
_	AI	Bar-Sagi et al., 1993, "SH3 domains direct cellular localization of signaling molecules", Cell 74:83-91.									
	LA	Blond-Elguindi et al., 1993, "Affinity panning of a library of peptides displayed on bacteriophages reveals the binding specificity of BiP", Cell 75:717-728.									
	AK	Bock et al., 1992, "Selection of single-stranded DNA molecules that bind and inhibit human thrombin", Nature 355:564-566.									
	AL	Brunton & Workman, 1993, "Cell-signaling targets for antitumor drug development", Cancer Chemother. Pharmacol. 32:1-19.									
	AM ·	Cheadle et al., 1994, "Identification of a SRC SH3 domain binding motif by screening a random phage display library", <i>J. Biol. Chem.</i> 269:24034-24039.									
	AN	Chen et al., 1993, "Biased combinatorial libraries: Novel ligands for the SH3 domain of phosphatidylinosity 3-kinase", <i>J. Biol. Chem.</i> 115:12591-12592.									

ATTY. BOCKET NO

50 00 1 1 12 1 1 1 1 1

1	
AO	Chien et al., 1991, "The two-hybrid system: A method to identify and clone genes for proteins that interact with a protein of interest", <i>Proc. Natl. Acad. Sci. USA</i> 88:9578-9582.
AP	Cicchetti et al., 1992, "Identification of a protein that binds to the SH3 region of Abl and is similar to BCR and GAP- ρ ", Science 257:803-806.
DΑ	Clark et al., 1992, "C. elegans cell-signalling gene sem-5 encodes a protein with SH2 and SH3 domains", Nature 356:340-344.
AR	Cohen et al., 1995, "Modular binding domains in signal transduction proteins", Cell 80:237-248.
AS	Cwirla et al., 1990, "Peptides on phage: A vast library of peptides for identifying ligands", Proc. Natl. Acad. Sci. USA 87:6378-6382.
АТ	Daniels & Lane, 1994, "The characterization of p53 binding phage isolated from phage peptide display libraries", <i>J. Mol. Biol.</i> 243:639-652.
ĄU	David et al., 1994, "Autoimmunity in stiff-Man syndrome with breast cancer is targeted to the C-terminal region of human amphiphysin, a protein similar to the yeast proteins, RVS167 and RVS161", FEBS Lett. 351:73-79.
AV	Dedman et al., 1993, "Selection of targeted biological modifiers from a bacteriophage library of random peptides. The identification of novel calmodulin regulatory peptides", <i>J. Biol. Chem.</i> 268:23025-23030.
AW	Devlin et al., 1990, "Random peptide libraries: A source of specific protein binding molecules", Science 249:404-406.
AX	Doorbar & Winter, 1994, "Isolation of a peptide antagonist to the thrombin receptor using phage display", <i>J. Mol. Biol.</i> 244:361-369.
AY	Duchesne et al., 1993, "Identification of the SH3 domain of GAP as an essential sequence for RAS-GAP-Mediated signaling", <i>Science</i> 259:525-528.
ΑZ	Egan et al., 1993, "Association of Sos Ras exchange protein with Grb2 is implicated in tyrosine kinase signal transduction and transformation", <i>Nature</i> 363:45-51.
ВА	Ellington & Szostak, 1990, "In vitro selection of RNA molecules that bind specific ligands", <i>Nature</i> 346:818-822.
88	Ellington & Szostak, 1992, "Selection in vitro of single-stranded DNA molecules that fold into specific ligand-binding structures", Nature 355:850-852.
ВС	Evans et al., 1990, "Talin and vinculin in the oocyte, eggs, and early embryos of Xenopus laevis: A developmentally regulated change in distribution", Dev. Biol. 137:403-413.
BD	Feng et al., 1994, "Two binding orientations for peptides to the SRC SH3 domain: Development of a general model for SH3-Ligand interactions", <i>Science</i> 266:1241-1247.
BE	Fields & Song, 1989, "A novel genetic system to detect protein-protein interactions", <i>Nature</i> 340:245-246.
	AP AQ AR AS AT AU AV AX BBA BBB BC BD

BF	Flynn et al., 1993, "Identification and sequence analysis of cDNAs encoding a 110-kilodalton actin filament-associated pp60" substrate", <i>Mol. Cell. Biol.</i> 13:7892-7900.
BG	Fowlkes et al., 1992, "Multipurpose vectors for peptide expression on the M13 viral surface", Biotechniques 13:422-427.
вн	Fukamachi et al., 1994, "Identification of a protein, SPY75, with repetitive helix-turn-helix motifs and an SH3 domain as a major substrate for protein tyrosine kinase(s) activated by Fc ϵ RI cross-linking", $J.$ Immunol. 152:642-652.
ВІ	Gao et al., 1994, "Selection of a subset of mRNAs from combinatorial 3' untranslated region libraries using neuronal RNA-binding protein Hel-N1", <i>Proc. Natl. Acad. Sci. USA</i> 91:11207-11211.
вj	Geysen et al., 1987, "Strategies for epitope analysis using peptide synthesis", <i>J. Immunol. Meth.</i> 102:259-274.
ВК	Gilbert & Villa-Komaroff, 1980, "Useful proteins from recombinant bacteria", Sci. Am. 242:74-94.
BL	Goodson et al., 1994, "High-affinity urokinase receptor antagonists identified with bacteriophage peptide display", <i>Proc. Natl. Acad. Sci. USA</i> 91:7129-7133.
ВМ	Gordon et al., 1994, "Applications of combinatorial technologies to drug discovery. 2. Combinatorial organic synthesis, library screening strategies, and future directions", <i>J. Med. Chem.</i> 37:1385-1401.
BN	Gout et al., 1993, "The GTPase dynamin binds to and is activated by a subset of SH3 domains", Cell 75:25-36.
во	Hoffman, 1995, "A novel method for identifying <i>src</i> homology 3 (SH3) domain-containing proteins", J.K. Koeppe Undergraduate Res. Symp. in Biol of UNC at Chapel Hill, April 7, abstracts.
ВР	Hoffman, 1995, "A novel method for identifying <i>src</i> homology 3 (SH3) domain-containing proteins", Honors Thesis, Dept of Biology, UNC Chapel Hill.
ВΩ	Houghten et al., 1991, "Generation and use of synthetic peptide combinatorial libraries for basic research and drug discoveries", <i>Nature</i> 354:84-86.
BR	Ishikawa et al., 1994, "Drebrin, a development-associated brain protein from rat embryo, causes the dissociation of tropomyosin from actin filaments", J. Biol. Chem. 269:29928-29933.
BS	Iwabuchi et al., 1994, "Two cellular proteins that bind to wild-type but not mutant p53", Proc. Natl. Acad. Sci. USA 91:6098-6102.
вт	Jackson et al., 1993, "Mutation of a phenylalanine conserved in SH3-containing tyrosine kinases activates the transforming ability of c-ABL", <i>Oncogene</i> 8:1943-1956.
BU	N.K. Jerne, 1974, "Towards a network theory of the immune system", <i>Ann. Immunol.</i> (Inst. Pasteur) 125c:373-389.
BV	Kapeller et al., 1994, "Identification of two SH3-binding motifs in the regulatory subunit of phosphatidylinositol 3-kinase", <i>J. Biol. Chem.</i> 269:1927-1933.

	вw	'Kawakami et al., 1988, "Acquisition of transforming properties by FYN, a normal SRC-related human gene", <i>Proc. Natl. Acad. Sci. USA</i> 85:3870-3874.
	вх	Kay et al., 1993, "An M13 phage library displaying random 38-amino acid peptides as a source of novel sequences with affinity to selected targets", <i>Gene</i> 128:59-65.
	BY	B.K. Kay, 1994, "Biologically displayed random peptides as reagents in mapping protein-protein interactions", <i>Perspect. in Drug Disc. & Design</i> 2:251-268.
	BZ	Kay et al., 1995, "Mapping protein-protein interactions with phage", Tucson Mtg Discussion abstr.
	CA	Knudsen et al., 1994, "Four proline-rich sequences of the guanine-nucleotide exchange factor C3G bind with unique specificity to the first SRC homology 3 domain of CRK", <i>J. Biol. Chem.</i> 269:32781-32787.
	СВ	Krook et al., 1994, "Selection of peptides with affinity for single stranded DNA using a phage display library", <i>Biochem. Biophys. Res. Comm.</i> 204:849-854.
	СС	Lam et al., 1991, "A new type of synthetic peptide library for identifying ligand-binding activity", Nature 354:82-84.
	CD	R. Langer, 1990, "New methods of drug delivery", Science 249:1527-1533.
	CE	Lescure et al., 1992, "A factor with SP1 DNA-binding specificity stimulates Xenopus U6 snRNA in vivo transcription by RNA polymerase III", <i>J. Mol. Biol.</i> 228:387-394.
	CF	Lichte et al., 1992, "Amphiphysin, a novel protein associated with synaptic vesicles", <i>EMBO J</i> . 11:2521-2530.
	CG	Lim et al., 1994, "Stability and peptide binding affinity of an SH3 domain from the Caenorhabditis elegans signaling protein SEM-5", Protein Sci. 3:1261-1266.
	СН	Lim et al., 1994, "Structural determinants of peptide-binding orientation and of sequence specificity on SH3 domains", <i>Nature</i> 372:375-379.
	CI	Liu et al., 1993, "The v-Src SH3 domain binds phosphatidylinositol 3'-kinase", <i>Mol. Cell. Biol.</i> 13:5225-5232.
	C1	Mayer et al., 1993, "A putative modular domain present in diverse signaling proteins", <i>Cell</i> 73:629-630.
	ск	McAdara & Babior, 1993, "SH3 domains appear to play a functional role in respiratory burst oxidase activity", <i>Blood</i> 82:A28.
	CL	McGlade et al., 1993, "The N-terminal region of GAP regulates cytoskeletal structure and cell adhesion", EMBO J. 12:3073-3081.
<u> </u>	CM	McLafferty et al., 1993, "M13 bacteriophage displaying disulfide-constrained microproteins", <i>Gene</i> 128:29-36.
	CN	Oldenburg et al., 1992, "Peptide ligands for a sugar-binding protein isolated from a random peptide library", <i>Proc. Natl. Acad. Sci. USA</i> 89:5393-5397.

со	Olivier et al., 1993, "A Drosophila SH2-SH3 adaptor protein implicated in coupling the sevenless tyrosine kinase to an activator of Ras guanine nucleotide exchange, Sos", Cell 73:179-191.
СР	Parmley & Smith, 1988, "Antibody-selectable filamentous fd phage vectors: Affinity purification of target genes", Gene 73:305-318.
ca	Parmley & Smith, 1989, "Filamentous fusion phage cloning vectors for the study of epitopes and design of vaccines", Adv. Exp. Med. Biol. 251:215-218.
CR	Pawson & Gish, 1992, "SH2 and SH3 domains: From structure to function", Cell 71:359-362.
cs	T. Pawson, 1995, "Protein modules and signalling networks", Nature 373:573-580.
ст	Pleiman et al., 1994, "Activation of phosphatidylinositol-3' kinase by Src-family kinase SH3 binding to the p85 subunit", Science 263:1609-1612.
CU	Rebar & Pabo, 1994, "Zinc finger phage: Affinity selection of fingers with new DNA-binding specificities", Science 263:671-673.
cv	Ren et al., 1993, "Identification of a ten-amino acid proline-rich SH3 binding site", Science 259:1157-1161.
cw	Reynolds et al., 1992, "Functional analysis of the SH2 and SH3 domains of the <i>lck</i> tyrosine protein kinase", <i>Oncogene</i> 7:1949-1955.
сх	Rickles et al., 1994, "Identification of SRC, FYN, LYN, P13K and ABL SH3 domain ligands using phage display libraries", <i>EMBO J.</i> 13:5598-5604.
CY	Rickles et al., 1995, "Phage display selection of ligand residues important for Src homology 3 domain binding specificity", <i>Proc. Natl. Acad. Sci. USA</i> 92:10909-10913.
cz	Rozakis-Adcock et al., 1993, "The SH2 and SH3 domains of mammalian Grb2 couple the EGF receptor to the Ras activator mSos1", <i>Nature</i> 363:83-85.
DA	Sanger et al., 1980, "Cloning in single-stranded bacteriophage as an aid to rapid DNA sequencing", J. Mol. Biol. 143:161-178.
DB	Scott & Smith, 1990, "Searching for peptide ligands with an epitope library", Science 249:386-390.
DC	Seidel-Dugan et al., 1992, "Effects of SH2 and SH3 deletions on the functional activities of wild-type and transforming variants of c-SRC", Mol. Cell. Biol. 12:1835-1845.
DD	Sikela & Hahn, 1987, "Screening an expression library with a ligand probe: Isolation and sequence of a cDNA corresponding to a brain calmodulin-binding protein", <i>Proc. Natl. Acad. Sci. USA</i> 84:3038-3042.
DE	Skolnik et al., 1991, "Cloning of PI3 kinase-associated p85 utilizing a novel method for expression/cloning of target proteins for receptor tyrosine kinases", Cell 65:83-90.
DF	Songyang et al., 1993, "SH2 domains recognize specific phosphopeptide sequences", Cell 72:767-778.
	CP CQ CR CS CT CU CV CX CY DA DB DC DD

DX	Wages et al., 1992, "Mutations in the SH3 domain of the <i>src</i> oncogene which decrease association of phosphatidylinositol 3'-kinase activity with pp60" and alter cellular morphology", <i>J. Virol.</i> 66:1866-1874.
DY	Weng et al., 1993, "Detection of Src homology 3-binding proteins, including paxillin, in normal and v-Src-transformed Balb/c 3T3 cells", <i>J. Biol. Chem.</i> 268:14956-14963.
DZ	J. Winter, 1994, "Bacteriophage display: Peptide libraries and drug discovery", <i>Drug Dev. Res.</i> 33:71-89.
EA	Wu & Parsons, 1993, "Cortactin, an 80/85-kilodalton pp60 ^{erc} substrate, is a filamentous actin-binding protein enriched in the cell cortex", <i>J. Cell Biol.</i> 120:1417-1426.
EB	Yamanashi et al., 1987, "The YES-related cellular gene LYN encodes a possible tyrosine kinase similar to p561lck", Mol. Cell. Biol. 7:237-243.
EC	Young & Davis, 1983, "Efficient isolation of genes by using antibody probes", <i>Proc. Natl. Acad. Sci. USA</i> 80:1194-1198.
ED	Yu et al., 1992, "Solution structure of the SH3 domain of Src and identification of its ligand-binding site", Science 258:1665-1668. 70
EE	Yu et al., 1994, "Structural basis for the binding of proline-rich peptides to SH3 domains", Cell 76:933-945.
EF	Zhu et al., 1993, "Direct analysis of the binding of the abl Src homology 2 domain to the activated epidermal growth factor receptor", J. Biol. Chem. 268:1775-1779.
EXAMINER	DATE CONSIDERED

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.